than 5949-63

3 排售售額

MEMORATIME FOR: Chief, Materiel Division, OSA

diright:

Sental of Electronic Data Processing Equipment

MAPERENCE:

Memo from C/OD/OSA to C/MD/OSA, dated 23 Aug 63,

same subject, OSA 4646-63

- 1. Due to incompatibility with communications interface equipment the Data-Line Terminals - Type 1 for the Univae 1004 Processors - ordered in referenced memo, cannot be utilized. Type 5 terminals are required in lieu of the Type 1.
- 2. Request necessary action be taken to change the rental order to Univac to reflect a change in Data-Line Terminals, Type 1 to Type 5, for the processors to be installed at Project Meadquarters (5th Floor) and Room BD 944 Pestagon.

3-				letter i					lvac,
						advantege			
over the	DLT -	. 1.	The	addition	ml ren	tal cost	should	be in	acluded
in the c	hange	of r	ental	contrac	rt.				

25X1A

25X1A

Chief, Operations Division, OSA

ee: D/FA/08A

C/AB/00/05A

je (26%ov63)

Distribution

#1 - C/MD/OSA

2 - C/MD/08A

3 - D/FA/08A 4 - C/00/06A

5 - C/AB/OD/OEA

6 - 108/08A

Approved For Release 2002/06/14 : CIA-RDP81B00961R000100150155-9

25X1A